



Department of Computer Science and Engineering

CS8651 – INTERNET PROGRAMMING

Unit I - MCQ Bank

1. HTTP defines two ways in which values entered by a user at the browser can be sent to the Web server. The _____ method encodes the values as part of the URL.

- a) Post
- b) Get
- c) Read
- d) Argument

Answer: b

2. A _____ is a program running on the server machine, which accepts requests from a Web browser and sends back results in the form of HTML documents.

- a) HTML
- b) HTTP
- c) Web Server
- d) Web browser

Answer: c

3. Which of the following protocols is used in the internet?

- a) HTTP
- b) DHCP
- c) DNS
- d) DNS, HTTP and DNS

Answer: d

4. Which protocol assigns IP address to the client connected in the internet?

- a) DHCP
- b) IP

- c) RPC
- d) RSVP

Answer: a

5. The number of objects in a Web page which consists of 4 jpeg images and HTML text is

-
- a) 4
 - b) 1
 - c) 5
 - d) 7

Answer: c

6. The default connection type used by HTTP is _____

- a) Persistent
- b) Non-persistent
- c) Can be either persistent or non-persistent depending on connection request
- d) None of the mentioned

Answer: a

7. The first line of HTTP request message is called _____

- a) Request line
- b) Header line
- c) Status line
- d) Entity line

Answer: a

8. The values GET, POST, HEAD etc are specified in _____ of HTTP message

- a) Request line
- b) Header line
- c) Status line
- d) Entity body

Answer: a

9. Find the oddly matched HTTP status codes

- a) 200 OK
- b) 400 Bad Request
- c) 301 Moved permanently
- d) 304 Not Found

Answer: d

10. Which of the following is present in both an HTTP request line and a status line?

- a) HTTP version number
- b) URL
- c) Method
- d) None of the mentioned

Answer: a

11. Choose the correct statement.

- a) In traditional XHTML close tag for some elements is optional but not encouraged
- b) In traditional HTML close tag for some elements is optional but not encouraged
- c) In both traditional XHTML and HTML close tag for some elements is not optional
- d) In both traditional XHTML and HTML close tag for some elements is optional

Answer: b

12. Which of the following is not a difference between HTML and XHTML?

- a) Charset in html is “text/html” where as in xhtml it is “application/xml+xhtml”
- b) Charset in both html and xhtml is “text/html”
- c) Tags and attributes are case-insensitive in HTML but not in XHTML
- d) Special characters must be escaped using character entities in XHTML unlike HTML

Answer: b

13. HTML and XHTML stands for _____

- a) Hyper Text Markup Language and Extensible HyperText Markup Language
- b) Hyper Text Markup Language and Extensible HyperText Marking Language
- c) Hyper Text Marking Language and EXtensible HyperText Marking Language
- d) Hyper Text Marking Language and Extensible HyperText Markup Language

Answer: a

14. A Rendering engine is not responsible for _____

- a) parsing the markup content (HTML)
- b) parsing style information (CSS, XSL, and so on)
- c) generating a visual presentation of the formatted content including media files referenced
- d) parsing style information (CSS only)

Answer: d

15. Which of the following statements is false?

- a) async and defer attributes of script tag execute before the DOMContentLoaded event
- b) defer executes each script sequentially
- c) async executes each script when it is ready
- d) all older browsers supports async attribute

Answer: d

16. Which of the following is the first web browser?

- a) Nexus
- b) Netscape Navigator
- c) Internet Explorer
- d) Mosaic

Answer: a

17. What if one does not use the doctype in the starting of HTML document?

- a) Browser finds the document in quirky mode
- b) Browser finds a document in standard mode
- c) Browser stops working
- d) Browser crashes after showing the page

Answer: a

18. What application can one create even before the introduction of HTML5?

- a) Web applications
- b) Mobile applications
- c) Forms
- d) Browser based games

Answer: c

19. Which of the following statement is true?

- a) Canvas Contains built-in animations
- b) SVG needs scripts to draw elements
- c) In canvas, drawing is done with pixels
- d) SVG don't support to event handlers

Answer: c

20. Which of the following MP3 player has not been written in Flash?

- a) musicplayer.sourceforge.net
- b) www.wimpyplayer.com
- c) flash-mp3-player.net
- d) soundcloud.com

Answer: d

21. Which of the following file extension is not used for audio MIME?

- a) .ogv
- b) .aac
- c) .wav
- d) .webm

Answer: a

22. _____ is a JavaScript library that implements the most common user interface elements and interactions like sliders, accordions, tabs, and so on.

- a) JavaScript
- b) JQuery UI
- c) VTS
- d) JCL

Answer: b

23. In HTML Audio/Video DOM, _____ sets or returns whether the audio/video should be loaded when the page loads.

- a) preload

- b) autoplay
- c) buffered
- d) controller

Answer: a

24. In HTML Audio/Video DOM, _____ sets or returns the default speed of the audio/video playback.

- a) currentTime
- b) duration
- c) defaultPlaybackRate
- d) playbackRate

Answer: c

25. Which tag is used to defines multiple media resources for media elements audio and video?

- a) <source>
- b) <canvas>
- c) <audio>
- d) <video>

Answer: a

26. What should be set with text-align property so that every line has equal width like in magazines and newspapers?

- a) text-align: justify
- b) text-align: none
- c) text-align: bottom
- d) text-align: top

Answer: a

27. Which works similar to <i> element?

- a)
- b)
- c)
- d) <blockquote>

Answer: b

28. What is the work of <address> element?

- a) contains contact details for author
- b) contains IP address
- c) contains home address
- d) contains url

Answer: a

29. JPEG format is useful when _____

- a) there are so many colors in the picture
- b) there are not so many colors in the picture
- c) we want to show more brightness
- d) when we want to show haziness

Answer: a

30. What is the new format to display vector images?

- a) SVG
- b) GIF
- c) JPG
- d) PNG

Answer: a