

MA8151-ENGINEERING MATHEMATICS-I

UNIT-5 DIFFERENTIAL EQUATIONS

Objective Question Bank

LINEAR DIFFERENTIAL EQUATIONS WITH CONSTANT COEFFICIENTS

1. Find the PI of $(D^2 - 4)y = 1$

- (a) $-\frac{1}{6}$ (b) $-\frac{1}{5}$ (c) $-\frac{1}{4}$ (d) $\frac{1}{4}$

Answer: c

2. Find the PI of $(D^5 - D)y = 12e^x$

- (a) xe^x (b) $-xe^x$ (c) $-3xe^x$ (d) $3xe^x$

Answer: d

3. Find the PI of $(D^2 + 4)y = \cos 2x$

- (a) $\frac{x}{4} \sin 2x$ (b) $\frac{x}{4} \cos 2x$ (c) $\frac{x}{2} \sin 4x$ (d) $x \sin 2x$

Answer: a

4. Find the PI of $(D^2 + 1)y = \sin x$

- (a) $\frac{x \cos x}{2}$ (b) $\frac{-x \cos x}{2}$ (c) $\frac{-x \sin x}{2}$ (d) $\frac{x \sin x}{2}$

Answer: b

5. Find the PI of $(D^2 - 1)y = x$

- (a) x (b) x^2 (c) $-x$ (d) -1

Answer: c

EULER CAUCHY

6. Transform the given equation in to Linear form $x^2 y'' - 4xy' + 6y = x^2 + \log x$

- a) $(D'^2 + 2D' + 5)y = e^{2z} + z$ b) $(D'^2 - 5D' + 6)y = e^z + z$
c) $(D'^2 - 5D' + 6)y = e^{2z} + z$ d) $(D'^2 + 5D' + 6)y = e^z + z$

Answer: c

7. Find the CF of $(x^2 D^2 - 2xD - 4)y = 0$

- a) $A\log x + Bx$ b) $A\log x + Bx^4$ c) $Ax + Bx^4$ d) $Ax^{-1} + Bx^4$

Answer: d

8. Find the PI of $(x^2 D^2 + xD)y = 12\log x$

- a) $\log x$ b) $A\log x + B$ c) $2(\log x)^3$ d) $Ae^x + Be^{2x}$

Answer: c

9. Find the PI of $(x^2 D^2 - xD + 1)y = \sin(\log x)$

- a) $\sin(\log x)$ b) $\cos(\log x)$ c) $(1/2)(\log x)$ d) $(1/2)\cos(\log x)$

Answer: d

10. Transform the given equation into Linear form $x^2 \frac{d^2 y}{dx^2} - x \frac{dy}{dx} + y = \log x$

- a) $(D'^2 - D' + 1)y = z$ b) $(D' - 1)^2 y = 0$
c) $(D' - 1)^2 y = z$ d) $(D'^2 + 1)y = 0$

Answer: c

11. Transform the equation $(2x+3)^2 \frac{d^2y}{dx^2} - 2(2x+3) \frac{dy}{dx} - 12y = 6x$ into linear form with constant coefficients.

a) $(D'^2 - 2D' - 3)y = \frac{1}{2}(e^z - 9)$

b) $(D'^2 - D' - 3)y = \frac{1}{4}(e^z - 9)$

c) $(D'^2 - 2D' - 3)y = \frac{1}{2}(3e^z - 9)$

d) $(D'^2 - 2D' - 3)y = \frac{1}{4}(3e^z - 9)$

Answer: d

12. The CF of the equation $(x+2)^2 \frac{d^2y}{dx^2} - (x+2) \frac{dy}{dx} + y = 3x+4$ is

a) $[A\log(x+2) + B]$

b) $[A\log x + B](x+2)$

c) $[A\log(x+2) + B](x+2)$

d) $[Ax + B](x+2)$

Answer: c

13. The PI of the equation $(x+1)^2 \frac{d^2y}{dx^2} + (x+1) \frac{dy}{dx} + y = 4\{\cos(\log(x+1))\}$ is

a) $2z\sin z$

b) $z\sin z$

c) $2z\cos z$

d) $z\cos z$

Answer: a

14. Transform the equation $(x+1)^2 \frac{d^2y}{dx^2} + (x+1) \frac{dy}{dx} + y = 2\{\sin(\log(x+1))\}$ into linear form with constant coefficients.

a) $(D'^2 + 1)y = \cos z$

b) $(D'^2 - 1)y = \cos z$

c) $(D'^2 + 1)y = 2\cos z$

d) $(D'^2 + 1)y = 2\sin z$

Answer: d

15. Transform the equation $(3x+2)^2 \frac{d^2y}{dx^2} + 3(3x+2) \frac{dy}{dx} - 36y = 3x^2 + 4x + 1$ into linear form with constant coefficients.

a) $(D'^2 - 4)y = \frac{1}{27}(e^z - 1)$

b) $(D'^2 + 4)y = \frac{1}{27}(e^{2z} - 1)$

c) $(D'^2 + 4)y = \frac{1}{27}(e^z - 1)$

d) $(D'^2 - 4)y = \frac{1}{27}(e^{2z} - 1)$

Answer: d

16. The wronskian of f_1, f_2 is given by

a) $f_1' - f_2'$ b) $f_1' f_2 - f_1 f_2'$ c) $f_1 f_2' - f_2 f_1'$ d) $f_1 f_2 - f_2' f_1'$

Answer: c

17. While solving the differential equation $(D^2 + 4) = \sec 2x$, by method of variation of parameters and if $f_1 = \cos 2x$, $f_2 = \sin 2x$ and wronskian $w = 2$, then Q is

a) $\frac{1}{4} \log \cos 2x$ b) $x/2$ c) $(1/4) \log \sin 2x$ d) $(1/4) \cos 2x$

Answer: b

18. If $\frac{d^2y}{dx^2} + y = \operatorname{cosec} x$, $f_1 = \cos x$, $f_2 = \sin x$ and wronskian $w = 1$, then P is

a) $-x$

b) x

c) $\sin x$

d) $\log \sin x$

Answer: a

19. While solving $(D^2 - 4D + 4)y = e^{2x}$ by method of variation of parameters, then f_1, f_2 is

- a) e^{2x}, e^{2x} b) xe^{2x}, e^{2x} c) e^{-2x}, e^{2x} d) xe^{-2x}, xe^{-2x}

Answer: b

20. While solving $(D^2 + 2D + 5)y = e^{-x} \tan x$ by method of variation of parameters, then f_1, f_2 is

- a) $\cos 2x, \sin 2x$ b) $\cos x, \sin x$ c) $e^{-x} \cos 2x, e^{-x} \sin 2x$ d) $e^{-x} \cos 5x, e^{-x} \sin 5x$

Answer: d

21. If $\frac{dx}{dt} - y = 0$ and $\frac{dy}{dt} + x = 0$ then the solution of x is

- a) $A\cos t + B\sin t$ b) $-A\cos 2t + B\sin 2t$ c) $A\cos t - B\sin t$ d)
 $A\cos 2t + B\sin 2t$

Answer: a

22. If $\frac{dx}{dt} - y = 0$ and $\frac{dy}{dt} + x = 0$ then the solution of y is

- a) $A\cos t + B\sin t$ b) $-A\sin t + B\cos t$ c) $A\cos t - B\sin t$ d) $A\cos 2t + B\sin 2t$

Answer: b

23. If $\frac{dx}{dt} + 2y = \sin 2t$ and $\frac{dy}{dt} - 2x = \cos 2t$ then the Linear equation of y is

- a) $(D^2 + 4)y = \cos 2t$ b) $(D^2 + 4)y = 0$

c) $(D^2 - 4)y = 0$

d) $(D^2 + 4)y = \sin 2t$

Answer: b

24. If $\frac{dx}{dt} + y = \sin t$ and $\frac{dy}{dt} + x = \cos t$ then the Linear equation of y is

a) $(D^2 + 1)y = \cos 2t$

b) $(1 + D^2)y = 2\sin t$

c) $(D^2 - 4)y = 0$

d) $(1 - D^2)y = 2\sin t$

Answer: d

25. Eliminate y from the system, If $\frac{dx}{dt} + 2y = -\sin t$ and $\frac{dy}{dt} - 2x = \cos t$

a) $(D^2 + 4)x = -3\sin t$

b) $(D^2 + 4)x = -3\cos t$

c) $(D^2 + 4)x = 0$

d) $(D^2 + 4)x = 3\cos t$

Answer: b